



2025 MAZDA CX-90 PLUG-IN HYBRID SPECIFICATIONS & FEATURES MODEL LINE-UP

TRIM	TRANSMISSION	DRIVE	ENGINE	ELECTRIFICATION System	DESCRIPTION
GS	8-speed automatic transmission	AWD	2.5 e-Skyactiv PHEV	Plug-in Hybrid	
GS-L	8-speed automatic transmission	AWD	2.5 e-Skyactiv PHEV	Plug-in Hybrid	
GT	8-speed automatic transmission	AWD	2.5 e-Skyactiv PHEV	Plug-in Hybrid	

OPTIONS	AVAILABLE ON
Rhodium White Metallic	GS-L/GT
Machine Grey Metallic	All models
Artisan Red Metallic	GT
Soul Red Crystal Metallic	GS-L/GT
Pure White Nappa Leather interior (available with select exterior colours only)	GT

ENGINE

	GS/GS-L/GT
Туре	2.5 e-Skyactiv PHEV, i-Stop
Valve train	DOHC 16-valve
# of cylinders/configuration	4/Inline
Displacement	2,488 cc
Compression ratio	13.0:1
Horsepower SAE net (system)	323 @ 6,000 rpm (with 93 octane fuel)/319 @ 6,000 rpm (with 87 octane fuel)
Torque SAE net lb-ft (system)	369 @ 4,000 rpm (with 93 octane fuel)/369 @ 4,000 rpm (with 87 octane fuel)
Horsepower SAE net (engine)	189 @ 6,000 rpm (with 93 octane fuel)/185 @ 6,000 rpm (with 87 octane fuel)
Torque SAE net lb-ft (engine)	192 @ 4,000 rpm (with 93 octane fuel)/184 @ 4,000 rpm (with 87 octane fuel)
Redline	6,500 rpm
Fuel system	Direct injection
Recommended fuel	Premium unleaded

ELECTRIC SYSTEM

	GS/GS-L/GT	
Electric motor		
Туре	Permanent magnet-type synchronous electric motor	
Output	Rated Motor/Generator Power (EPA) Drive motor rated power's rated RPM	68 kW 4,350 rpm
Battery ¹	Type Discharge capacity Weight Total voltage Battery capacity	Lithium-ion battery 50 Ah 178 kg 355 V 17.8 kWh
Powertrain	Electric motor power outlet Electric motor torque	173 hp @ 5,500 rpm 199 lb-ft @ 400 rpm

¹ In cold weather temperature, the engine may start and use fuel, even with a fully charged battery. The use of the engine is required to ensure proper heating of the passenger cabin. Make sure there is fuel in the tank.

SPECIFICATIONS

CHARGING COMPATIBILITY

Home and Public charging (Level 1 AC 120 V and 15 Amps) ¹	6.4 Hours	Mode 2 (120 V×15 A) – state of charge from 20% to 80%
Home and Public charging (Level 2 AC 240 V and 30 Amps) ¹	1.3 Hours	Mode 2 (240 V×30 A) – state of charge from 20% to 80%

¹ The charging time is based on a battery/ambient temperature of 20° C. The actual charging time depends on the various conditions at the time of charging, such as the type of fast charging station, battery status, charging habits and the battery and ambient temperature. In cold conditions, both the battery and the ambient temperature affect the required charging time, which in certain situations can lead to a significant increase in the charging time.

CHASSIS

Front suspension	Independent, double wishbone
Rear suspension	Independent, multi-link with coil springs and stabilizer bar
Steering	Rack-and-pinion with engine-rpm-sensing variable power assist
Steering ratio	17.1:1
Minimum turning circle	11.6 m (curb-to-curb diameter)
	Anti-lock Brake System (ABS) with Electronic Brake Force Distribution (EBFD)
Brakes	347 mm ventilated front discs
	350 mm solid rear discs
Curb weight (kg)	2,348

CAPACITIES

Seating	GS	GS-L/GT
Capacity	8	7
Configuration	2/3/3	2/2/3
Fuel tank	70 L	70 L
Washer fluid tank	4.2 L	4.2 L

EXTERNAL DIMENSIONS

Overall height (mm)	with roof rails	1,733 without shark fin antenna (unladen) 1,745 with shark fin antenna (unladen)	
Overall width (mm) (mirror to m	irror)	2,157 (mirrors in driving position)	
Overall length		5,100 mm (without licence plate holder)	
Wheelbase		3,120 mm	
		19-inch wheels	21-inch wheels
Track (fr)		1,705 mm	1,705 mm
Track (rr)		1,708 mm	1,708 mm
Ground clearance (unladen)		204 mm	206 mm
Approach Angle		18.8°	19.1°
Departure Angle		20.6°	20.8°
Break-over Angle		15.9°	16.2°

INTERNAL DIMENSIONS (MM)

Headroom (fr/rr1/rr2)	1,008/997/936 (standard roof) / 996/981/936 (moonroof) / 1,005/978/935 (panoramic roof)
Legroom (fr/rr1/rr2)	1,058/1,000/773
Shoulder room (fr/rr1/rr2)	1,504/1,476/1,363
Hiproom (fr/rr1/rr2)	1,427/1,410/1,110
Cargo length (behind front seat)	2,438
Cargo length (behind second-row seat)	1,343
Cargo length (behind third-row seat)	527
Width at floor	1,265
Width between rear tire housing	1,110
Height from floor to roof	773 (with moonroof) / 765 (with panoramic roof)
Liftgate opening width	1,106
Liftgate opening height	742

CARGO VOLUME

Cargo volume (SAE)	
Behind front seat	2,101 L
Behind second-row seat	1,133 L
Behind third-row seat	423 L

FUEL ECONOMY RATINGS (L/100 KM)¹

	e-Skyactiv PHEV
Combined	9.4

ENERGY CONSUMPTION ESTIMATES (Le/100 KM)²

	e-Skyactiv PHEV
Combined	4.2
ELECTRIC DRIVING RANGE (KM) ³	42
TOWING CAPACITY	
Towing capacity	1,588 kg (3,500 lb)

¹ Estimated fuel economy based on Government of Canada's approved, revised 5-cycle testing method. Your actual fuel consumption may vary depending on how, where and when you drive. For comparison purposes only. For more information on revised 5-cycle testing, visit the <u>Government of Canada website</u>.

²Estimated based on preliminary testing by Mazda. Once confirmed, the official numbers will be published in the applicable NRCan Fuel Consumption Guide. To help compare vehicles that use electricity, a conversion factor is used by NRCan to convert electrical energy consumption values, expressed in kilowatt hours per 100 kilometres (kWh/100 km), into gasoline litres equivalent per 100 kilometres (Le/100 km). One litre of gasoline contains the energy equivalent to 8.9 kWh of electricity. ³Combined range estimate based on preliminary testing by Mazda. Once confirmed, the official range rating will be published in the applicable NRCan Fuel Consumption Guide. Full battery charge is required. Actual driving range will vary depending upon driving/charging habits, speed, conditions, weather, temperatures, and battery age.

GS

ENGINE AND MECHANICAL

e-Skyactiv PHEV, i-Stop 2.5 L 14 cylinder engine Horsepower (system): 323 hp Torque (system): 369 lb-ft Recommended fuel: Premium 8-speed automatic transmission with manual shift mode Paddle shifters Charge Model Button Mi-Drive (Normal/Sport/Off-road/EV modes) i-Activ AWD Kinematic Posture Control (KPC) Towing capability: 1,588 kg (3,500 lb)

ELECTRIC SYSTEM

Plug-in Hybrid System Lithium-ion battery¹ Battery: 17.8 kWh¹ Electric motor power output: 173 hp @ 5,500 rpm Electric motor torque: 199 lb-ft @ 400 rpm

CHARGING COMPATIBILITY

Home and Public charging (Level 1 AC 120 V and 15 Amps)² Mode 2 (120 V×15 A) – state of charge from 20% to 80% 6.4 Hours Home and Public charging (Level 2 AC 240 V and 30 Amps)² Mode 2 (240 V×30 A) – state of charge from 20% to 80% 1.3 Hours

SUSPENSION AND BRAKES

Power-assisted four-wheel disc brakes Anti-lock Brake System (ABS) with Electronic Brake Force Distribution (EBFD) Front suspension: Independent, double wishbone Rear suspension: Independent, multi-link with

coil springs and stabilizer bar Rack-and-pinion steering with engine-rpm-sensing variable power assist

TIRES AND WHEELS

19-inch alloy wheels (silver metallic) 265/55R19 tires Tire Pressure Monitoring System (TPMS) – direct type Temporary spare tire – T155/90D18

SAFETY AND SECURITY

Front dual stage driver's and front passenger's airbags Front and rear side airbags Front and rear curtain airbags Front driver's and passenger's knee airbag Passenger airbag deactivation system (auto switch) Blind Spot Monitoring (BSM) Rear Cross Traffic Alert (RCTA) Driver Attention Alert (DAA) Distance & Speed Alert (DSA) Mazda Radar Cruise Control with Stop & Go function (MRCC with Stop & Go function) Pedestrian Detection (front) Dynamic Stability Control (DSC) Traction Control System (TCS) Trailer Stability Control (TSC) Hill Descent Control Hill Launch Assist (HLA) Lane Keep-assist System (LAS) Lane Departure Warning System (LDWS) Emergency Lane Keeping with Road Keep Assist Rearview camera (with static guidelines) Smart Brake Support Front (SBS-F) High Beam Control system (HBC) Front and rear second-row (outboard seats only) seat belt pretensioners with force limiters Child-safety rear door locks LATCH 2nd row and 3rd row seat child safety lower anchors & upper tethers (3) 3-point safety belts for all occupants Height-adjustable front and rear seat head restraints Height-adjustable front seat belts Front active head restraints

Engine immobilizer theft-deterrent system

EXTERIOR

LED headlights with automatic levelling LED daytime running lights LED rear combination taillights Automatic on/off headlights Body-coloured door handles Body-coloured rear roof spoiler High-mount stop light Manually foldable door mirrors Power, heated, body-coloured exterior mirrors with integrated side turn signal indicators Exterior B and C pillar garnish in black Black honeycomb front grille inserts Front signature wing in chrome finish Intermittent rain-sensing windshield wipers Intermittent rear wipers Rear window defroster Roof rails in satin chrome Privacy glass on rear door glass, quarter glass and rear gate glass Noise-isolating windshield Noise-isolating glass (driver's and front passenger's windows) Green tint glass with UV shield AWD badge on liftgate Chrome PHEV side badge Wheel arch and rocker trim in black Front and rear lower bumper in black

INTERIOR: AUDIO & CONNECTIVITY

10.25-inch full-colour centre display Mazda Connect Infotainment system Mazda Connected Vehicle Services³ Mazda Harmonic Acoustics with 8 speakers AM/FM radio Wired Apple CarPlay[™] integration Wired Android Auto[™] integration Bluetooth® hands-free phone and audio capability Steering-wheel-mounted audio, phone and cruise controls 2 front Type-C USB ports Navigation-ready (requires navigation SD card accessory)⁴

SMS text message functionality

INTERIOR: COMFORT & CONVENIENCE

3-zone automatic climate control Rear A/C display 3rd row air vents Rear heater ducts Push Button Start Electronic Parking Brake (EPB) with auto-hold function Manual tilt and telescopic steering wheel Power windows with one-touch up and down (front and rear) Keyless entry (vehicle access and lock via key fob buttons) Day/night rearview mirror Speed-sensing power door locks Driver's and passenger's sunvisors with covered vanity mirrors and extension Rear centre armrest Illuminated entry system Room lamp Cargo area light Internal hood release 12-volt power outlets (front and rear) 2 rear charging Type-A USB ports (second row)

In cold weather temperature, the engine may start and use fuel, even with a fully charged battery. The use of the engine is required to ensure proper heating of the passenger cabin. Make sure there is fuel in the tank.

²The charging time is based on a battery/ambient temperature of 20° C. The actual charging time depends on the various conditions at the time of charging, such as the type of fast charging station, battery status, charging habits and the battery and ambient temperature. In cold conditions, both the battery and the ambient temperature affect the required charging time, which in certain situations can lead to a significant increase in the charging time. ³Mazda Connected Vehicle Service is available for a 2 year trial period from your vehicle's in-service date; a paid subscription is required upon expiry of the trial period. Requires MyMazda App (on a compatible smartphone), a working vehicle electrical system (including battery), wireless coverage and GPS satelitte signal. Services, connectivity and capabilities vary by conditions as well as geographical and technical restrictions. See mazda.ca for details. Services may include: Remote Services [remote lock/unlock, remote hazard lights; Vehicle Status [vehicle status alert]; Navigation Services [vehicle finder send to car⁴]; Vehicle Connected Services [vehicle health report, online update, push notifications, malfunction notification]; Mazda Road Side Assistance; Smartwatch integration.

⁴To use the navigation system, the SD card containing the map information needs to be inserted in the SD card slot.

2025 MAZDA CX-90 PLUG-IN HYBRID

$GS \ (\text{continued})$

INTERIOR: SEAT & INTERIOR TRIM

Premium cloth upholstery Urethane steering wheel Urethane shift knob Heated front seats (three settings) 6-way manually adjustable driver's seat 4-way manually adjustable front passenger's seat 60/40-split folding 2nd row seatback Reclining and sliding second-row seats Custom CX-90 embroidered floor mats Silver finish inner door handles (front and rear) Passenger's single seatback pockets Silver painted dash strip trim Dashboard mid-panel in black Centre console panel in black Silver finish side louver bezel 8-seat capacity

STORAGE

Front centre console with armrest and storage 2 cupholders in 1st row centre console 2 cupholders in 2nd row centre console 4 cupholders in 3rd row (2 in each quarter trim panel)

INSTRUMENTATION

Tachometer Engine coolant temperature gauge Fuel gauge Meter set with 12.3-inch LCD display Meters indicate: speedometer, odometer, trip meter, outside temperature, maximum driving distance, average fuel economy, current fuel economy, deceleration regeneration charge display, i-Activsense display, compass display, door ajar/liftgate ajar/hood ajar warning indication, message display

ENGINE AND MECHANICAL IN Mi-Drive (Normal/Sport/Off-road/EV/Towing modes) A EXTERIOR ill Power sliding standard moonroof with one-touch open and close Sa Hands-free, height-adjustable power rear liftgate Sa Rear parking sensors Sa

GS-L Includes the following features in addition to or in place of GS:

Roof rails in satin chrome Exterior B and C pillar garnish in glossy black Front wiper de-icer Piano black front grille inserts

INTERIOR: AUDIO & CONNECTIVITY

AM/FM/HD radio Wireless phone charger (Qi) Wireless Apple CarPlay[™] integration Wireless Android Auto[™] integration

INTERIOR: COMFORT & CONVENIENCE

Auto-dimming rearview mirror Driver's and passenger's sunvisors with illuminated covered vanity mirrors and extensions Advanced keyless entry (vehicle access and lock via key fob proximity) Satin chrome ring detail on Push Button Start 2 rear charging Type-C USB ports (second row) 2 rear charging Type-C USB ports (third row) Front door courtesy lamp

SAFETY AND SECURITY

Rear parking sensors

INTERIOR: SEAT & INTERIOR TRIM

7-seat capacity Second-row Captain's Chairs Leatherette-trimmed upholstery 10-way power driver's seat (includes power lumbar support) 4-way power passenger's seat Heated steering wheel Leather-wrapped steering wheel and shift knob Lined glove box Front door courtesy lamp Lower steering wheel spokes in bright finish Dash strip trim in silver finish Brigth finish door handles (front and rear)

STORAGE

Overhead console with sunglasses holder

GT Includes the following features in addition to or in place of GS-L:

SAFETY AND SECURITY

360° View Monitor

Front and rear parking sensors Windshield-projected colour Active Driving Display (large view) Traffic Sign Recognition System (TSR) Adaptive Front-lighting System (AFS) Smart Brake Support Rear (SBS-R) Smart Brake Support Rear Crossing (SBS-RC) Front Cross Traffic Alert (FCTA) Blind Spot Monitoring (BSM) with Vehicle Exit Warning Driver Monitoring (DM) Rearview camera (with dynamic guidelines) Cruise & Traffic Support (CTS)

TIRES AND WHEELS

21-inch alloy wheels (machined spokes with polished finish and dark painted pockets) 275/45R21 tires

EXTERIOR

LED front signature lighting

Front and rear lower bumper in black with silver accents Rocker panel accent trim in bright finish with debossed Mazda wordmark Front and rear door garnish moulding in bright finish Power folding exterior mirrors (automatic operation) Auto-dimming exterior mirror (driver's side only) Shark fin antenna

INTERIOR: AUDIO & CONNECTIVITY

12.3-inch full colour centre display with Mazda Connect Infotainment system
Touchscreen centre display for Apple Car PlayTM/ Android AutoTM
Bose premium sound system with AM/FM/HD radio
12 Bose speakers with Centerpoint 2 Surround Technology and AudioPilot 2 Noise Compensation Technology
Navigation system
SiriusXM® Satellite Radio (includes complimentary 3-month subscription)

SiriusXM Traffic Plus and Travel Link® services (includes complimentary 5-year subscription) (Current information for: Traffic, weather, sport scores and fuel prices)

INTERIOR: COMFORT & CONVENIENCE

Power sliding panoramic moonroof with one-touch open and close HomeLink® wireless control system Rear door sunshades (retractable) Power outlet socket (low AC power/1500 W) Illuminated glove box Front and rear door courtesy lamp Front centre console with armrest, storage and internal light LED driver's and passenger's foot lamps

INTERIOR: SEAT & INTERIOR TRIM

Black Nappa leather-trimmed upholstery 8-way power passenger's seat Driver's seat memory function (2 memory settings) Exterior mirrors linked with memory seat function Ventilated front seats (three settings) Heated second row seats (outboard seats only; three settings) Dashboard mid-panel in black with contrast piping and stitching Centre console panel in Geomesh Centre console cup holders with retractable cover Upper door panel trimmed in Geomesh with silver accent Door handles in bright finish (front and rear) Satin chrome-plated glove box lever Second-row Captain's Chairs 7-seat capacity

GT OPTION

PURE WHITE NAPPA LEATHER UPHOLSTERY

Pure White Nappa leather-trimmed upholstery Upper door panel trimmed in Light Arbor with silver accent Centre console in Light Arbor Dashboard mid-panel in Pure White Leather with

stitching and contrast piping Centre console armrest in Pure White Oyster interior roof lining, A and D pillars Product changes and options availability: Following publication of this brochure, certain changes in equipment, options, specifications, prices and other information may have occurred which would not be reflected in these pages. All information included in this brochure is based upon the available information at the time of publication. Although such information is believed to be correct at the time of publication, accuracy cannot be guaranteed.

Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right, at any time without providing any further notice or incurring any obligations, to correct any errors, inaccuracies or omissions that may exist in this brochure, as well as to make changes to any of the information included in this brochure.

Options and accessories shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations. Some vehicles shown may be models from other jurisdictions. Canadian models and specifications may vary.

© 2024 Mazda Canada Inc., 55 Vogell Road, Richmond Hill, Ontario L4B 3K5.